



Building Division

4800 West 92nd Avenue Westminster, Colorado 80031
(303) 658-2075
permits@cityofwestminster.us

APPROVED GAS FIRE PITS

A permit is required for the installation of a gas fire pit that has a permanently installed gas feed. The City of Westminster issues one permit that includes the install of the fire pit and the gas line.

NOTE: Contractors are *NOT* limited to using just those products listed below. In order for a fire pit to be accepted for installation in the City of Westminster, the fire pit must be a fully tested and listed assembly. Tested to ANSI Standard Z21.97, per IFGC Code section 636. The burner ring must be included as part of the listed assembly (not just the valve).

When submitting for a permit, listing information must be provided. Typically, this is the Code page from the manufacturer's installation instructions that shows the testing agency.

Listed below are approved fire pit products where the surround is typically custom fabricated.

- Firegear Outdoors – All UL listed products
- Hearth Products Controls Company
- Kingsman – Model FP2085N
- Napoleon – Patioflame
- Napoleon – Linear Patio Flame; Models GPFL48 and GPFL48M
- The Outdoor GreatRoom Company – Crystal Fire Models and DIY Gas Fire Burner Kit
- Warming Trends – All models listed under ICC ES Report PMG-1213

The fire pit must be installed completely (as tested and listed). This includes the log set if part of the listing. In general, Lava rock is not allowed over the burner assembly unless part of the listing. The surround can be custom constructed and does not need to be part of the listing.